

CABINET AND DISPLAY LIGHTING



- 1 L126
- 2 L128
- 3 LU21E

APPLICATIONS

RETAIL STORES, RESTAURANTS AND OTHER COMMERCIAL ENVIRONMENTS.

VERSATILITY ALLOWS FOR INSTALLATION THAT CAN CONFORM TO MANY ARCHITECTURAL ELEMENTS.

BENEFITS AND FEATURES

COMPACT LOW PROFILE DESIGNS.

HIGH LUMEN OUTPUT.

REMOTE POWER SUPPLY.

ENERGY EFFICIENT LAMP SOURCES SUCH AS LED AND FLUORESCENT.


SECTION CONTENTS

Fluorescent	239- 241
Halogen & Xenon	242- 245
Decolume	246- 248
Rope Light	249- 251



CABINET AND DISPLAY LIGHTING QUICK FINDER


FLUORESCENT



FLUORESCENT BARS
LU12E, LU21E,
LU24E, LU32E, LU42E
Pg. 239



FLUORESCENT BAR ACCESSORIES
F, LUB, LUL, LUOUT,
LUSWT
Pg. 240



STRIP LIGHTS
LU, LU5
Pg. 241

HALOGEN & XENON



PUCK LIGHT
L115, L116, L126,
L128
Pg. 242



MR11 REMOTE RECESSED
L122, L133, L142
Pg. 243



MR16 REMOTE RECESSED
L233, L242
Pg. 244



PLUG-IN UNDERCABINET KITS
LK326, LU225, LU325
Pg. 245

DECOLUME



LDE
Pg. 246



ACCESSORIES TRIMS
LDC61, LDC62,
LDC64, LDC65,
LDC66, LDC67, etc.
Pgs. 247-248

ROPE LIGHT



LENGTHS
LD, LDLV, LLED
Pg. 249





ACCESSORIES / TRIMS
LD21, LD22, LD23,
LD24, LD25, etc.
Pg. 250



ACCESSORIES / TRIMS
LD3, LD31, LD32,
LD33, LD34, etc.
Pg. 251

LU12E • 12" Fluorescent Under Cabinet Bar


 Fluorescent (1) 8W T5 G5



Finish **Options**

LU12E White No Lamp
 L w/ Lamp

LU21E • 21" Fluorescent Under Cabinet Bar


 Fluorescent (1) 13W T5 G5



Finish **Options**

LU21E White No Lamp
 L w/ Lamp

LU24E • 24" Fluorescent Under Cabinet Bar


 Fluorescent (2) 8W T5 G5



Finish **Options**

LU24E White No Lamp
 L w/ Lamp

LU32E • 32" Fluorescent Under Cabinet Bar


 Fluorescent (1) 8W,13W T5 G5



Finish **Options**

LU32E White No Lamp
 L w/ Lamp


LU42E • 42" Fluorescent Under Cabinet Bar

 Fluorescent (2) 13W T5 G5




Finish **Options**

LU42E White No Lamp
 L w/ Lamp



Liton's under cabinet fluorescent bars can be accessorized with an On/Off rocker switch and plug outlet for added convenience and function to the space. Replacement ballast, lenses and lamps are readily available.

2008.6.10



Liton's under cabinet fluorescent bars can be accessorized with an On/Off rocker switch and plug outlet for added convenience and function to the space. Replacement ballast, lenses and lamps are readily available.

Convenience Outlet Module



Ordering
LUOUT Convenience Outlet Module

Rocker Switch Module



Ordering
LUSWT Rocker Switch Module

Under Cabinet Ballast



Options
LUB1 One Lamp Ballast
LUB2 Two Lamp Ballast
LUB2E Electronic for One or Two Lamp Ballast

Under Cabinet T5 Lamp



Options
F8T5 8W lamp
F13T5 13W lamp

Replacement Lens




Options
LUL12 For LU12
LUL21 For LU21
LUL24 For LU24
LUL32 For LU32
LUL42 For LU42



2008.6.10

LU • Halogen Strip Light


  120V T4 G8



Lamps	Finish
LU120 1 Lamp (8")	W White
LU220 2 Lamp (16")	
LU320 3 Lamp (24")	
LU420 4 Lamp (32")	



LU • Xenon Strip Light


  12V T4 Wedge Base




Lamps	Finish
LU118 1 Lamp (8")	W White
LU218 2 Lamp (16")	
LU318 3 Lamp (24")	
LU418 4 Lamp (32")	

LU5 • Compact Fluorescent Strip Light

  Fluorescent T5 G5



Wattage	Finish
LU508 8 Watt (16")	W White
LU513 13Watt (24")	



These architectural-grade strip lights are made of high quality cast aluminum for high-end residential and professional grade commercial and retail linear lighting applications. Its integral energy efficient electronic ballasts and transformers allow for a quiet flicker-free operation. For added benefit, they have an integral On/Off rocker switch allowing the user to selectively switch each light independently. Available in 3 different light sources, Line Voltage Halogen, Low Voltage Xenon and Fluorescent. Hinged high temperature tempered glass access door with captive thumbscrew for easy tool-less re-lamping and maintenance. All mounting hardware included.



2008.6.10



For an attractive recessed or surface mounted point source with minimal dimensions, these "Puck Lights" are a perfect fit for cabinets, displays and other accent and task lighting applications. Using relatively inexpensive Bi-Pin G4 halogen lamps with integral high quality specular reflectors these lights illuminate tight space effectively.

Shipped with optional housing and all mounting hardware needed, these can be either surfaced or recessed mounted. All puck lights can be used with standard remote low voltage dimmers. Recommended for use with electronic, solid-state low voltage transformers.



L116 • Mini Glass Dome Trim & Housing

JCA 12V 20W T3 G4



Ceiling cut-out: 2"

For recessed or surface use

Finish

- L116W** White Trim
- L116B** Black Trim
- L116N** Natural Metal Trim
- L116CO** Copper Metal Trim **NEW**
- L116MO** Mocha **NEW**

L115 • Mini Wall Wash Trim & Housing

JCA 12V 20W T3 G4



Ceiling cut-out: 2"

For recessed or surface use

Finish

- L115W** White
- L115B** Black
- L115N** Natural
- L115CO** Copper Metal **NEW**
- L115MO** Mocha **NEW**

L128 • 2" Mini Recessed Light w/ Lamp

JCA 12V 20W T3 G4



Ceiling cut-out: 2 3/8"

Finish

- L128W** White Trim & Housing
- L128B** Black Trim & Housing
- L128C** Clear Trim & Housing
- L128G** Gold Trim & Housing
- L128N** Natural Trim & Housing
- L128CO** Copper Trim & Housing **NEW**
- L128MO** Mocha Trim & Housing **NEW**

L126 • 2" Mini Reflector w/ Lamp

JCA 12V 20W T3 G4



Ceiling cut-out: 2 3/8"

Finish

- L126W** White Trim & Housing
- L126B** Black Trim & Housing
- L126C** Clear Trim & Housing
- L126G** Gold Trim & Housing
- L126N** Natural Metal Trim & Housing



Die Cast Construction



Suitable for Sloped Ceilings

L133 • MR11 Mini Baffle Trim & Housing










12V 35W MR11 GU4



Ceiling cut-out: 2 1/4"

Finish

-  **L133W** White Baffle & Ring
-  **L133B** Black Baffle & White Ring
-  **L133BB** Black Baffle & Ring
-  **L133BN** Black Baffle & Natural Ring
-  **L133N** Natural
-  **L133CO** Copper Metal **NEW**
-  **L133MO** Mocha **NEW**

L122 • MR11 Mini Eyeball & Housing



12V 35W MR11 GU4



Ceiling cut-out: 2 1/4"

Finish

-  **L122W** White
-  **L122B** Black
-  **L122C** Clear
-  **L122G** Gold
-  **L122N** Natural Metal
-  **L122CO** Copper **NEW**
-  **L122MO** Mocha **NEW**

L142 • MR11 Mini Gimbal Ring Housing








12V 35W MR11 GU4



Ceiling cut-out: 2 1/4"


Tilts up to 45 degrees.

Finish

-  **L142W** White
-  **L142B** Black
-  **L142G** Gold Trim
-  **L142N** Natural
-  **L142CO** Copper Metal **NEW**
-  **L142MO** Mocha **NEW**

Halogen Under Cabinet

MR11 Remote Recessed



For an attractive recessed mounted point source with minimal dimensions, these miniature MR11 lights are a perfect fit for cabinets, displays and other accent and task lighting applications where a precise adjustable beam is needed. Available in baffled downlights to conceal lamp source or adjustable gimbal or eyeball to illuminate an object off the center of aperture. Made of durable die-cast aluminum these can illuminate tight space effectively for years of hassle-free operation.

Shipped with glass lens, housing and all mounting hardware needed. All miniature remote recessed installations should be used with electronic or magnetic low voltage transformers with standard low voltage dimmers.



2008.6.10



L233 • MR16 Baffle Trim & Housing



12V 35W MR16 GU5.3



Ceiling cut-out: 3 1/4"

Finish

- L233W** White Baffle & Ring
- L233B** Black Baffle & White Ring
- L233BB** Black Baffle & Ring
- L233BN** Black Baffle & Natural Ring
- L233G** Gold Baffle & Ring
- L233N** Natural Metal Baffle & Ring
- L233CO** Copper Metal Baffle & Ring **NEW**
- L233MO** Mocha Baffle & Ring **NEW**

L242 • MR16 Mini Gimbal Ring Housing



12V 35W MR16 GU5.3



Ceiling cut-out: 3 1/4"

Finish

- L242W** White Trim
- L242B** Black Trim
- L242G** Gold Trim & Housing
- L242N** Natural Metal Trim
- L242CO** Copper Metal Trim **NEW**
- L242MO** Mocha **NEW**

For an attractive recessed or surface mounted point source with minimal dimensions, these miniature MR16 lights are a perfect fit for cabinets, displays and other accent and task lighting applications where a precise adjustable beam is needed. Available in baffled downlights to conceal lamp source or adjustable gimbal or eyeball to illuminate an object off the center of aperture. Made of durable die-cast aluminum these can illuminate tight spaces effectively for years of hassle-free operation.

Shipped with glass lens, housing and all mounting hardware needed. All miniature remote recessed installations should be used with electronic or magnetic low voltage transformers with standard low voltage dimmers.



2008.6.10

LK326 • Mini Halogen Downlight Kit

12V 20W T3 G4




Comes complete w/ 3 puck lights and all hardware and electronic gear required for operation, lamps included

Finish

- LK326W** White Kit
- LK326B** Black Kit
- LK326C** Clear Kit
- LK326G** Gold Kit
- LK326N** Natural "Raw" Metal Kits

LU225 • 2-Light Halogen Under Cabinet

120V 25W T4 G8




- Frosted Lens
- "High/Low" Switch
- 6' Plug-in cord for easy installation

Finish

- LU225W** White
- LU225G** Gold

LU325 • 3-Light Halogen Under Cabinet

120V 25W T4 G8



- Frosted Lens
- "High/Low" Switch
- 6' Plug-in cord for easy installation

Finish

- LU325W** White
- LU325G** Gold



Convenient Plug-In display kits are designed for a quick and easy installation with electrical power provided by a standard wall outlet. Perfect for remodeling and DIY applications, these kits come with everything needed to light up work stations, commercial displays, and residential applications such as kitchen counter tops, workshop tables, and entertainment centers. Available in 12V Puck Lights and 120V Light Bars, in 2-Light and 3-Light configurations.


For an attractive recessed or surface mounted point source with minimal dimensions, these "Puck Lights" are a perfect fit for cabinets, displays and other accent and task lighting applications. Using relatively inexpensive Bi-Pin G4 halogen lamps with integral high quality specular reflectors these lights illuminate tight spaces effectively.



LDE • Decolume Cable



12V/24V 19 Amp MR11/Festoon Xenon Lamps



228W Max @12V / 456W Max @24V

Length & Spacing *

LDE13 1' Stretch, 3" Bulb Spacing

LDE14 1' Stretch, 4" Bulb Spacing

LDE3 33' Stretch, 3" Bulb Spacing

LDE4 33' Stretch, 4" Bulb Spacing

** Orders for custom lengths, will incur a per-cut charge. To order custom lengths, use the 1' Order Code times number of feet desired.*

LITON Decolume strip light is a low voltage (19 amp 12V/24V) strip system designed for simply "clicking" in lamps where desired.

Its compact size and flexible strip allows for excellent accent lighting of architectural elements. The lamp sockets utilize Halogen MR11 lamps as well as popular Xenon and Halogen festoon bulbs. Perfect for cove and display lightings, as well as showcasing in retail or residential environments.

Since the strip is field cuttable and bendable to fit any application, it is extremely easy to install and allows for hassle-free maintenance.

Using the LDC66 Mounting Clip the DECOLUME can be mounted to a surface using nails or screws. For surfaces that do not permit penetration, LDC61 Mounting Adhesive Pads can be used to securely hold DECOLUME in place.



2008.6.10

Mounting adhesive pad




Pads allow for mounting on vertical and horizontal surfaces where penetration of screws or nails are not desired. Perfect for glass and other brittle surfaces

Ordering:
LDC61

Festoon Lamp



Ordering:
LDL10 10W Incandescent
LDL10XF 10W Xenon Frosted
LDL5 5W Incandescent
LDL5XF 5W Xenon Frosted



100 Watt Transformer



Comes with 6' plug-in cord. For indoor or outdoor use.

Ordering:
LET100

End Cap



Tool-less installation allows for an easy way to end the run, preventing exposure of naked wire.

Ordering:
LDC62

Halogen lamp base



Convert socket for use with reflector MR11 lamp, adjustable 140 degrees. Lamp not included.

Ordering:
LDC64

Terminal block connection



Can be used to effectively feed power to a run. May also be used to continue a run.

Ordering:
LDC65

Mounting clip



Clips allow for mounting on vertical and horizontal surfaces. Can be used with nails or screws.

Ordering:
LDC66B Black
LDC66C Clear
LDC66G Gold
LDC66S Satin Haze
LDC66W White


X Connector



Can be used to connect up to 4 Decolume runs perpendicularly.

Ordering:
LDC67

2008.6.10




Two piece lamp holder kit



Lamp holder kit allows for additional festoon sockets to be installed anywhere along Decolume.

Ordering:
LDC68



Reflection plate



Specular finish allows for illumination from festoon bulb to be effectively captured and directed upward.

Ordering:
LDC69

LLED • LED Rope Light Roll

   L.E.D. 0.07W/ Foot 120V




For lighting coves, stairways, kickspaces and any other imaginable design concept, energy efficient L.E.D. Duralight.

Length *		Color	
LLEDF	1 Foot	C	Cool White
LLED150	150 Feet	RD	Red
		GR	Green
		BL	Blue
		YL	Yellow
		WW	Warm White 

* Orders for custom lengths, will incur a per-cut charge. To order custom lengths, use the 1' Order Code times number of feet desired.

LDLV • 12V Rope Light Roll


 12V 3W/foot



Specification *	
LDLV150C	150' Clear Stretch
LDLV1C	1' Clear Stretch

* Orders for custom lengths, will incur a per-cut charge. To order custom lengths, use the 1' Order Code times number of feet desired.

LD • 120V Rope Light Roll

 120V 3W/foot




For lighting coves, stairways, kickspaces and any other imaginable design concept.


Specification *	
LD150C	150' Clear
LD150GR	150' Green
LD150RD	150' Red
LD150YL	150' Yellow
LD1BL	1' Blue
LD1C	1' Clear
LD1GR	1' Green
LD1RD	1' Red

* Orders for custom lengths, will incur a per-cut charge. To order custom lengths, use the 1' Order Code times number of feet desired.

Dura Light - 2 Wire Rolls



Lengths



2008.6.10



Controller



To simulate blinking effect.

Ordering:
LD21

6 Foot Plug-in Power Cord



Not for use with LED and 12V ropelight.

Ordering:
LD22 Plug-In
LD22-SP Spliced Ends

6' LED Plug-in Power Cord



Ordering:
LLED22

Power Connector



Ordering:
LD23

Splice Connector



Ordering:
LD24

T-Connector



Can be used to connect up to 3 runs perpendicularly.

Ordering:
LD25

Plastic Mounting Clips



Clips allow for mounting on vertical and horizontal surfaces. Can be used with nails or screws.

Ordering:
LD26


End Cap



Tool-less installation allows for an easy way to end the run, preventing exposure of naked wire.

Ordering:
LD27

6 Foot Channel



Allows for rope light to be mounted in a linear fashion.

Ordering:
LD28

Invisible Splice



Ordering:
LD29

120V 3-Wire Rope Light Roll



Ordering:
LD30C 150' Stretch Clear
LD3C 1' Stretch Clear

Color Controller



To simulate chasing effect.
Ordering:
LD31



6 Foot Power Cord



Ordering:
LD32

Power Connection



Ordering:
LD33

Splice Connection



Ordering:
LD34

T Connector



Can be used to connect up to 3 runs perpendicularly.
Ordering:
LD35

Plastic Mounting Clip




Clips allow for mounting on vertical and horizontal surfaces. Can be used with nails or screws.
Ordering:
LD36

End Cap



Tool-less installation allows for an easy way to end the run, preventing exposure of naked wire.
Ordering:
LD37

6 Foot Channel



Allows for rope light to be mounted in a linear fashion.
Ordering:
LD38

Invisible Splice



Ordering:
LD39

2008.6.10