

LED RECESSED
designer lighting series



2 Inch
3 Inch
4 Inch



Designer
Recessed
LED
series

LED BENEFITS

- LAMP LIFE 50,000 HOURS
- GREEN TECHNOLOGY - LED'S ARE MORE ENERGY EFFICIENT THAN OTHER LIGHT SOURCES. THEY EMIT NO ULTRAVIOLET RAYS, INFRARED HEAT AND CONTAIN NO MERCURY OR LEAD.

SUGGESTED USAGE

NICHES, WINE CELLARS, CABINETS AND UNDER CABINETS, WALL GRAZING AND WALL WASHING, DISPLAYS, ACCENTING CONFINED ELEMENTS

NOTE: MAXIMUM RECOMMENDED DISTANCE FROM LIGHT SOURCE OF 4-FEET

Seville®
DESIGNER LIGHTING BY LITON


GREEN TECHNOLOGY FROM SEVILLE LIGHTING

LED BENEFITS


- REDUCE ENERGY COST** [1 WATT AND 3 WATT FIXTURES]. LED FIXTURES, DUE TO THEIR LOW WATTAGE ARE VERY INEXPENSIVE TO OPERATE. A 3 WATT LED FIXTURE IN USE FOR EXAMPLE, 12 HOURS DAILY @ .12 (KWR) KILO WATT RATE, THE ANNUAL COST IS **ONLY \$1.58 PER FIXTURE**, PER YEAR.
- GREEN TECHNOLOGY** LED'S ARE MORE ENERGY EFFICIENT THAN OTHER LIGHT SOURCES. THEY EMIT NO ULTRAVIOLET RAYS, INFRARED HEAT AND CONTAIN NO MERCURY OR LEAD.
- REDUCE MAINTENANCE COST** SEVILLE LED FIXTURES HAVE A LAMP LIFE OF **50,000 HOURS** AT 100% LUMEN OUTPUT. THERE ARE 8760 HOURS IN A YEAR, WHICH MEANS AT 24 HOURS DAILY USE / BURN, THE LAMP'S LIFE WILL BE **6 YEARS**. IF THE FIXTURES ARE ON ONLY 8 HOURS DAILY, NO LAMPS WILL BE PURCHASED OR REPLACED FOR NEARLY 20 YEARS.
- LAMP MODULE AVAILABLE IN**

-WW	WARM WHITE	-CW	COOL WHITE
-15	15° BEAM	-45	45° BEAM

2" LED: SH2RLD 2" LED REMODEL / NEW CONSTRUCTION HOUSING




- THIS HOUSING IS DESIGNED FOR FAST AND EASY INSTALLATION IN EXISTING CEILINGS.
- INSULATION MUST BE KEPT 3" AWAY FROM SIDES AND 1" AWAY FROM TOP OF FIXTURE.
- TERMINAL QUICK CONNECTOR FOR EASY LAMP REPLACEMENT.



2" LED: SHR2RLD 2" LED REMODEL / REMOTE HOUSING




- THIS HOUSING IS DESIGNED FOR FAST AND EASY INSTALLATION IN EXISTING CEILINGS.
- THIS HOUSING HAS FOUR REMODELING CLIPS FOR SECURE INSTALLATION.
- A **REMOTE LED DRIVER** IS REQUIRED.
- TERMINAL QUICK CONNECTOR FOR EASY LAMP REPLACEMENT.



3" & 4" LED: SH3LD [3-INCH] AND SH4LD [4-INCH] LED NEW CONSTRUCTION HOUSING

NEW CONSTRUCTION




3 INCH DIMENSIONS

A	B	C	D
8"	5 1/4"	3 1/2"	3 1/2"

4 INCH DIMENSIONS

A	B	C	D
8"	5 1/4"	3 1/2"	4"

- INSULATION MUST BE KEPT 3" AWAY FROM SIDES AND 1" AWAY FROM TOP OF FIXTURE.
- HOUSING CAN INTERIOR PAINTED BLACK TO REDUCE VIEW AND GLARE THROUGH OPEN TRIMS.
- ON-BOARD ELECTRONIC LED DRIVER ACCESSIBLE FROM BELOW
- TERMINAL QUICK CONNECTOR FOR EASY LAMP REPLACEMENT.



3" & 4" LED: SHR3RLD [3-INCH] AND SHR4RLD [4-INCH] LED REMODEL / REMOTE HOUSING

REMODEL




3 INCH DIMENSIONS

A	B	C
3 1/2"	3 1/2"	3 3/4"

4 INCH DIMENSIONS

A	B	C
3 1/2"	4"	4 1/4"

- THIS HOUSING IS DESIGNED FOR FAST AND EASY INSTALLATION IN EXISTING CEILINGS.
- THIS HOUSING HAS FOUR REMODELING CLIPS FOR SECURE INSTALLATION.
- A **REMOTE LED DRIVER** IS REQUIRED.
- TERMINAL QUICK CONNECTOR FOR EASY LAMP REPLACEMENT.



REMOTE DRIVERS FOR SHR2RLD, SHR3RLD, AND SHR4RLD

- SD04DC** : 4 WATT 3.5 AMP MAX. 12 VOLT DRIVER
- SD10DC** : 10 WATT 3.5 AMP MAX. 12 VOLT DRIVER
- SD18DC** : 18 WATT 3.5 AMP MAX. 12 VOLT DRIVER
- SD40DC** : 40 WATT 3.5 AMP MAX. 12 VOLT DRIVER

ORDERING NOTE: MULTIPLY THE NUMBER OF WATTS TO DETERMINE WHICH DRIVER TO SPECIFY / ORDER.

2" LED : RECESSED TRIMS HIGH QUALITY DIE-CAST ALUMINUM CONSTRUCTION

ITEM # **SR221L3** COLOR CODE **MO** LAMP TEMP. **-CW** BEAM° **-15**



LED [1 x 3 WATT]
3 1/8" O.D.

W	WHITE REFLECTOR AND RING
B	BLACK REFLECTOR, WHITE RING
C	CLEAR REFLECTOR, WHITE RING
N	NATURAL REFLECTOR AND RING
CO	COPPER REFLECTOR AND RING
MO	MOCHA REFLECTOR AND RING
SN	SATIN REFLECTOR, NATURAL RING
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

ITEM # **SR293L3** COLOR CODE **N** LAMP TEMP. **-CW** BEAM° **-15**



LED [1 x 3 WATT]
3 1/8" O.D.

W	WHITE BAFFLE AND RING
W-WET	WHITE BAFFLE & RING, WET LOCATION
B	BLACK BAFFLE AND WHITE RING
N	NATURAL BAFFLE AND RING
CO	COPPER BAFFLE AND RING
MO	MOCHA BAFFLE AND RING
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

ITEM # **SR266L1** COLOR CODE **MO** LAMP TEMP. **-WW** BEAM° **-15**



LED [1 x 1 WATT]
15° ADJUSTABLE
3 1/8" O.D.

W	ALL WHITE
B	ALL BLACK
N	ALL NATURAL
CO	ALL COPPER
MO	ALL MOCHA
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

3" LED : RECESSED TRIMS HIGH QUALITY DIE-CAST ALUMINUM CONSTRUCTION

ITEM # **SR321L3** COLOR CODE **MO** LAMP TEMP. **-CW** BEAM° **-45**



LED [1 x 3 WATT]
10° ADJUSTABLE
4 1/4" O.D.

W	WHITE REFLECTOR AND RING
B	BLACK REFLECTOR, WHITE RING
BB	BLACK REFLECTOR AND RING
C	CLEAR REFLECTOR, WHITE RING
CCR	CLEAR REFLECTOR, CHROME RING
S	SATIN REFLECTOR, WHITE RING
N	NATURAL REFLECTOR AND RING
CO	COPPER REFLECTOR AND RING
MO	MOCHA REFLECTOR AND RING
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

ITEM # **SR393L3** COLOR CODE **MO** LAMP TEMP. **-CW** BEAM° **-15**



LED [1 x 3 WATT]
10° ADJUSTABLE
4 1/4" O.D.

W	WHITE BAFFLE AND RING
B	BLACK BAFFLE, WHITE RING
BCR	BLACK REFLECTOR, CHROME RING
N	NATURAL BAFFLE AND RING
CO	COPPER BAFFLE AND RING
MO	MOCHA BAFFLE AND RING
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

ITEM # **SR366L3** COLOR CODE **CR** LAMP TEMP. **-CW** BEAM° **-15**



LED [1 x 3 WATT]
45° ADJUSTABLE
4 1/4" O.D.

W	ALL WHITE
B	ALL BLACK
CR	ALL CHROME
N	ALL NATURAL
CO	ALL COPPER
MO	ALL MOCHA
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

4" LED : RECESSED TRIMS HIGH QUALITY DIE-CAST ALUMINUM CONSTRUCTION

ITEM # **SR421L3** COLOR CODE **SN** LAMP TEMP. **-CW** BEAM° **-15**



LED [1 x 3 WATT]
4 3/4" O.D.
20° adjustable

W	WHITE REFLECTOR AND RING
B	BLACK REFLECTOR, WHITE RING
C	CLEAR REFLECTOR, WHITE RING
CCR	CLEAR REFLECTOR, CHROME RING
SN	SATIN REFLECTOR, NATURAL RING
CO	COPPER REFLECTOR AND RING
MO	MOCHA REFLECTOR AND RING
S	SATIN REFLECTOR, WHITE RING
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

ITEM # **SR493L3** COLOR CODE **N** LAMP TEMP. **-CW** BEAM° **-15**



LED [1 x 3 WATT]
4 3/4" O.D.
20° adjustable

W	WHITE BAFFLE AND RING
B	BLACK BAFFLE, WHITE RING
BCR	BLACK BAFFLE, CHROME RING
BB	BLACK BAFFLE AND RING
N	NATURAL BAFFLE AND RING
CO	COPPER BAFFLE AND RING
MO	MOCHA BAFFLE AND RING
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

ITEM # **SR468L3** COLOR CODE **W** LAMP TEMP. **-CW** BEAM° **-15**



LED [1 x 3 WATT]
85° ADJUSTABLE
358° ROTATION
4 3/4" O.D.

W	ALL WHITE
B	ALL BLACK
N	ALL NATURAL
-WW	WARM WHITE
-CW	COOL WHITE
-15	15° BEAM
-45	45° BEAM

Designer Recessed Lighting Series



Seville®
DESIGNER LIGHTING BY LITON

